

Questions Bank

Multiple choice questions:

1. Suicide is most likely to occur:

- a. On admission.
- b. On discharge.
- c. As the depression deepens.
- d. As the antidepressant work.

2. The client is concerned about his coming discharge, manifested by being unusually sad. The best therapeutic approach

- a. “Aren’t you glad that you’re going home soon?”
- b. “You seem to have concerns about going home.”
- c. “What would you like to do now that you’re about to go home?”
- d. “You are much better than when you were admitted so there’s no reason to worry “.

3. Which of the following is a priority assessment for a patient with major depression?

- a. Nutritional status
- b. Suicidal ideation

- c. Mood and affect
- d. Fluid and electrolyte balance

4. According to Maslow's hierarchy of needs, which client action would be an example of a highly evolved, mature client?

- a. A client discusses the need for avoiding harm and maintaining comfort.
- b. A client states the need for giving and receiving support from others.
- c. A client begins to discuss feelings of self-fulfillment.
- d. A client discusses the need to achieve success and recognition in work.

5. A man who dislikes his mother in law may act very politely and courteously toward her. In this situation, the person use defense mechanism called:

- a- Reaction formation.
- b- Compensation
- c- Regression.
- d- Identification

6. An angry man channels his hostilities in to competitive sports in which there are many opportunities for combat. The nurse knows that this is.....

- a. Sublimation
- b. Rationalization
- c. Repression
- d. Reaction formation

7. A man who is late for work states, “my wife forgot to set the alarm last night so I over slept. This example of:

- a- Introjections
- b- Projection
- c- Regression
- d- Rationalization.

8. Slamming a door instead of hitting a person, yelling at your spouse after an argument with your boss. This defense mechanism is called:

- a. Displacement
- b. Identification
- c. Undoing
- d. Introjections

Define:

-Mental illness:

- Communication:

-Nonverbal

Nurse –patient relationship

Preconscious

Id

Define Anxiety:

Complete the followings:

The difference between mental health and mental illness are:

List other needs for psychiatric patients:

Mention four rights of the patient during hospitalization.

Enumerate three types of Involuntary hospitalization admission

Characteristics of successful communication:

Block of communication:

Problems of the termination phase

Sullivan's main concepts include:

Function of Ego are:

The problems that raised in the anal stage of development:

List the two common nursing diagnoses for patient with generalized anxiety disorder.

List positive symptoms of schizophrenia

Identify types of schizophrenia
